


IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.6

 Welcome
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

 Your search matched **1** of **1013964** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Photonic control of phased arrays using analog vector modulation
Riza, N.A.;

Phased Array Systems and Technology, 1996., IEEE International Symposium on , 15-18 Oct. 1996

Pages:31 - 36

[\[Abstract\]](#)
[\[PDF Full-Text \(500 KB\)\]](#)
IEEE CNF
[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE


[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)
IEEE Xplore®
 RELEASE 1.6

 Welcome
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **4** of **1013964** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or enter a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Automated diagnosis for segmentation of colonoscopic images using chromatic features***Tjoa, M.P.; Krishnan, S.M.; Doraiswami, R.;*

Electrical and Computer Engineering, 2002. IEEE CCECE 2002. Canadian Conference on , Volume: 2 , 12-15 May 2002

Pages:1177 - 1180 vol.2

[\[Abstract\]](#)[\[PDF Full-Text \(486 KB\)\]](#)

IEEE CNF

2 An efficient color re-indexing scheme for palette-based compression*Wenjun Zeng; Jin Li; Shawmin Lei;*

Image Processing, 2000. Proceedings. 2000 International Conference on , Volume: 3 , 10-13 Sept. 2000

Pages:476 - 479 vol.3

[\[Abstract\]](#)[\[PDF Full-Text \(364 KB\)\]](#)

IEEE CNF

3 Peer group filtering and perceptual color image quantization*Yining Deng; Kenney, C.; Moore, M.S.; Manjunath, B.S.;*

Circuits and Systems, 1999. ISCAS '99. Proceedings of the 1999 IEEE International Symposium on , Volume: 4 , 30 May-2 June 1999

Pages:21 - 24 vol.4

[\[Abstract\]](#)[\[PDF Full-Text \(776 KB\)\]](#)

IEEE CNF

4 Low level image segmentation with high level emergent properties color based segmentation*Battiti, R.;*

Industrial Applications of Machine Intelligence and Vision, 1989., International Workshop on , 10-12 April 1989

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	641	array with transducer with pair	USPAT	2004/03/22 05:19
2	BRS	L2	70	(array with transducer with pair) same (pixel or image or color colour)	USPAT	2004/03/22 05:20
3	BRS	L3	29	(array with transducer with pair) same (pixel or image or color colour)	EPO; JPO; DERWEN T	2004/03/22 05:21
4	BRS	L5	73	(color or colour) with difference with neighbor\$3 with pixel	USPAT	2004/03/22 05:22